

# **Canadian Procedure for Laboratory Testing of Oil-Grit Separators Draft**

**A Publicly Available Specification**

**Prepared by:**

**Toronto and Region Conservation Authority**



**Supported by:**

**The Standards Council of Canada**



**February 2023**

## Table of Contents

Foreword .....	iii
Preface .....	vi
<b>1.0 Scope .....</b>	<b>1</b>
<b>2.0 Normative References .....</b>	<b>1</b>
<b>3.0 Terms and Definitions .....</b>	<b>1</b>
<b>4.0 Introduction .....</b>	<b>2</b>
4.1 Purpose and Objectives of the <i>Procedure</i> .....	3
<b>5.0 Performance Test Body and Verification Requirements .....</b>	<b>3</b>
5.1 Test Body .....	3
5.2 Verification Body and Expert .....	4
<b>6.0 Sediment Removal Performance Test.....</b>	<b>4</b>
6.1 Test Sediment .....	4
6.2 Test Conditions .....	5
6.3 Test Parameters and Requirements.....	5
6.3.1 Flow rates and hydraulic characteristics .....	6
6.3.2 Test duration .....	6
6.3.3 Influent sediment concentration.....	6
6.3.4 Modified mass balance.....	7
6.3.5 Background samples.....	7
6.4 Sediment removal calculation .....	7
<b>7.0 Sediment Scour and Re-suspension Test.....</b>	<b>8</b>
7.1 Preloaded Test Sediment.....	8
7.2 Test Conditions .....	8
7.3 Test Parameters and Requirements.....	9
7.3.1 Flow Rates.....	9
7.3.2 Flow Durations.....	9
7.3.3 Sampling and analysis.....	9
7.4 Sediment Scour Test Analysis .....	10

<b>8.0</b>	<b>Light Liquid Retention Simulation Test .....</b>	<b>10</b>
<b>8.1</b>	<b>LDPE Plastic Beads Specification .....</b>	<b>10</b>
<b>8.2</b>	<b>Test Conditions .....</b>	<b>10</b>
<b>8.3</b>	<b>Test Parameters and Requirements.....</b>	<b>11</b>
8.3.1	Flow Rates.....	11
8.3.2	Flow Durations.....	11
8.3.3	Effluent Screening and Analysis.....	11
<b>9.0</b>	<b>Scaling.....</b>	<b>11</b>
<b>10.0</b>	<b>Analytical Methods .....</b>	<b>12</b>
<b>10.1</b>	<b>Particle Size Distribution .....</b>	<b>12</b>
<b>10.2</b>	<b>Sediment Drying and Moisture Content.....</b>	<b>12</b>
<b>10.3</b>	<b>Suspended Solids .....</b>	<b>12</b>
<b>11.0</b>	<b>Reporting .....</b>	<b>12</b>

**APPENDIX A:** Effluent sampling procedures

**APPENDIX B:** Procedure for correcting the effluent sediment results from the sediment scour test

**APPENDIX C:** Test report template

**APPENDIX D:** Checklist of testing requirements

**APPENDIX E:** Minimum content requirements for ISO ETV 14034 Verification Statements

## Foreword

### Publishing Information

This Publicly Available Specification (PAS) was sponsored by the Standards Council of Canada (SCC) in support of recommendations put forward by the Canadian Clean Technology Economic Strategy Table<sup>1</sup> suggesting that “faster deployment of clean technology solutions can be supported by bringing greater clarity to testing and performance requirements, increasing testing and demonstration opportunities, and adopting global best practices and technology verification standards.”

Technology standards provide a competitive edge for industrial development by facilitating and controlling access to markets. Standards provide benchmarks for performance, guidelines on how to improve performance, and measurable results that are reliable and consistent. The standards development process for leading-edge technologies, greatly influences market trends and acceptance of these technologies, locally and globally.

The SCC is a federal Crown corporation that is part of Canada’s Innovation, Science and Economic Development portfolio. SCC oversees Canada’s national standardization network and facilitates the development and use of national and international standards and accreditation services to enhance Canada's competitiveness and well-being.

Development of this PAS was facilitated by the Toronto and Region Conservation Authority (TRCA).

Acknowledgement is given to the following individuals and organizations involved in the PAS as members of the Steering Group:

John Antoszek  
Pollution Control Engineering Advisor  
Ontario Ministry of the Environment,  
Conservation and Parks (MECP)

Marc Arsenault, P.Eng.  
Wastewater Engineer  
City of Moncton

Martin Bouchard-Valentine, ing., biologiste, M.Sc.  
Coordonnateur – Équipe gestion des  
débordements et des eaux pluviales  
Ministère de l'Environnement, de la Lutte contre  
les changements climatiques, de la Faune et des  
Parcs, Québec

Edith Laflamme  
Directrice Générale  
Centre des Technologies de l'eau (CTEAU)

Glenn MacMillan  
General Manager, Development, Engineering and  
Restoration  
Lake Simcoe Regional Conservation Authority

John Neate  
Managing Director  
VerifiGlobal

Aaron Omelan, Engineer-in-Training  
Infrastructure Engineer  
Saskatoon Water  
City of Saskatoon

---

<sup>1</sup> Report from Canada's Economic Strategy Tables: Clean Technology, Innovation, Science and Economic Development Canada - <https://ised-isde.canada.ca/site/economic-strategy-tables/en/report-2018/report-canadas-economic-strategy-tables-clean-technology>

Joe Costa  
Senior Scientist & Quality Manager  
Good Harbour Laboratories Ltd.

Christy Graham  
Senior Coordinator  
Sustainable Technologies Evaluation Program,  
Education and Training  
Toronto and Region Conservation Authority  
(TRCA)

Joel Haley, CET, EP, BSc.  
Environmental Coordinator  
Halifax Water

Shad Hussain, P.Eng.  
Senior Engineer  
Strategic Planning & Policy, Toronto Water  
City of Toronto

Barbara Siembida-Lösch, Ph.D., P.Eng.  
Senior Research Scientist & Engineer  
Centre for Advancement of Water and  
Wastewater Technologies (CAWT)  
Fleming College,

Bert van Duin  
Drainage Technical Lead  
Water Resources Infrastructure Planning  
City of Calgary

Tim Van Seters  
Senior Manager, Sustainable Technologies  
Sustainable Technologies Evaluation Program,  
Education and Training  
Toronto and Region Conservation Authority  
(TRCA)

Acknowledgement is also given to the many individuals and organizations that participated in the consultations and provided commentary including:

Bureau de normalisation du Québec (BNQ)

CSA Group

Carleton University

Centre d'expertise et de recherche en  
infrastructures urbaines (CERIU)

City of Vancouver

City of Calgary

City of Ottawa

City of Pickering

City of Waterloo

City of Thunder Bay

City of Barrie

City of Montréal

City of Laval

Credit Valley Conservation

EPCOR Water Services

GPS

Lake Simcoe Region Conservation Authority

Ministère des Transports et de la Mobilité  
durable du Québec

Ontario Ministry of the Environment,  
Conservation and Parks (MECP)

Region of Peel

Town of Richmond Hill

Town of Newmarket

Town of the Blue Mountains

Toronto Metropolitan University

University of Waterloo

University of Guelph

The *Procedure* presented in this document builds on existing laboratory testing procedures for hydrodynamic separator manufactured treatment devices in the United States. The most notable of these is the New Jersey Department of Environmental Protection (NJDEP) Laboratory Protocol to Assess Total

Suspended Solids Removal by a Hydrodynamic Sedimentation Manufactured Treatment Device, finalized on January 25, 2013, and updated on January 1, 2021.

This laboratory testing *Procedure* was originally prepared by TRCA in 2013 for the Canadian Environmental Technology Verification (ETV) Program (which ended in 2016), with assistance from a Technical Advisory Committee made up of 32 representatives from government and industry.

The TRCA retains ownership and copyright of this PAS, which will be reviewed at intervals not exceeding 2 years. Any amendments arising from the review will be published as an amended PAS. The PAS is not a Canadian Standard.

The PAS process enables a Vocabulary to be rapidly developed in order to fulfil an immediate need. A PAS can be considered for further development as a Canadian Standard.

## Use of this document

As a Vocabulary this PAS takes the form of guidance and recommendations. This PAS is a voluntary document and in itself has no legal status. There is no obligation to apply or comply with this PAS unless its application is directly required by third-parties. It should not be quoted as if it were a specification and particular care should be taken to ensure that claims of compliance are not misleading. Any user claiming compliance with this PAS is expected to be able to justify that claim together with any course of action that deviates from its recommendations. It has been assumed in the preparation of this PAS that the execution of its provisions will be entrusted to appropriately qualified and experienced people, for whose use it has been produced. The user should be aware that the process used to develop this document does not include the full consensus process normally associated with standards. It is the responsibility of the user of this document to judge the suitability of the document for the user's purpose.

## Presentational conventions

The provisions of this PAS are presented in roman (i.e. upright) type.

© 2023 Toronto and Region Conservation Authority (TRCA) - all rights reserved

Aussi offert en français sous le titre *Procédure canadienne d'essai en laboratoire de séparateur hydrodynamique*

Commentary, explanation and general informative material are presented in "NOTES" underneath each section where applicable.

## Contractual and legal considerations

Users are responsible for the correct application of this PAS. Compliance with a PAS does not guarantee compliance with the law and cannot confer immunity from legal obligations.

## Preface

In Canada and other jurisdictions, different regulatory agencies and permitting authorities may have different requirements and performance criteria for approval and acceptance of various stormwater treatment devices for specific applications and operating conditions. To support their decisions, these agencies and authorities can benefit from scientifically defensible, verifiable performance data applicable to a range of possible end use requirements and operating conditions.

The “*Procedure for Laboratory Testing of Oil-Grit Separators*” was initially prepared in 2013 by TRCA for the Canadian Environmental Technology Verification (ETV) Program. When the Canadian ETV Program ended in 2016, the *Procedure* was subsequently used by various parties as the basis for oil-grit-separator (OGS) technology performance testing and subsequent verification following the requirements of the International Organization for Standardization ISO 14034:2016 ETV standard, published in November 2016. The intent of the *Procedure* is to provide a common procedure for testing and verifying the performance of OGS under controlled conditions in an independent and transparent manner. Independent verification of the performance data using the *Procedure* as the basis for testing has assisted Canadian regulatory agencies, permitting authorities and other affected stakeholders in evaluating treatment technology options.

Although the proposed performance testing *Procedure* is not intended to be a compulsory standard, it does represent an effective approach for conducting testing in order to produce verifiable performance data on specific technologies under defined operating conditions. When applied in accordance with the requirements of the ISO 14034 ETV standard, the *Procedure* reduces uncertainties and improves the likelihood of market acceptance of the independently generated performance data, contributing to more informed technology decisions.

It is understood that the ultimate decision to approve, select and implement a particular technology is the responsibility of the technology buyer, guided by the requirements of the respective permitting authorities within the affected jurisdiction(s). As stated in the document, “Application of this Procedure will assist in the calibration and parameterization of OGS Manufactured Treatment Device (MTD) sizing models and calculators applied by regulators and the regulated community to select device types and sizes that are required to meet regulatory goals and other storm water management criteria.”

## Developing a Publicly Available Specification

In collaboration with the SCC, the TRCA leveraged Canada’s standardization system to bring together experts and organizations to define key terms and develop a PAS on how to apply these definitions.

This PAS builds on preliminary research and a series of public consultations with key experts, as well as those representing provincial agencies, municipalities, small and medium enterprises, large businesses, non-profit organizations, post-secondary institutions and others. Their comments on initial base documents, as well as written feedback and consultation transcripts, were analyzed. Suggestions were reviewed by the Steering Group and representatives from the SCC.

This PAS provides recommendations and guidance on policies, practices, and approaches. It is intended to provide definitions and guidance on the terms and processes for performance testing of stormwater treatment technologies.

## 1.0 Scope

This Canadian Publicly Available Specification (PAS) specifies procedures for laboratory testing and verification of oil and grit separator (OGS) manufactured treatment devices (MTDs).

This PAS was developed under the Canadian Stormwater Environmental Technology Verification (SETV) project, which was established to develop publicly available specifications for testing and verification of stormwater manufactured treatment devices. It responds to a recognized market need, representing a consensus among stakeholders and experts for a standardization approach that serves an important public policy interest in an evolving technology and services market.

## 2.0 Normative References

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- ISO 14034:2016, Environmental management — Environmental technology verification (ETV)
- ISO/IEC 17020, Conformity assessment - Requirements for the operation of various types of bodies performing inspection
- ISO/IEC 17025, General requirements for the competence of testing and calibration laboratories

## 3.0 Terms and Definitions

**Effective Treatment Area:** The area within the MTD where sedimentation occurs.

**Head Loss:** The difference in static water pressure upstream and downstream of a structure. Head loss is influenced by material roughness, flow velocity, system eddies, direction of flow and flow path length.

**International Organization for Standardization (ISO) Environmental Technology Verification (ETV)**

**Standard:** ISO 14034:2016 specifies principles, procedures and requirements for environmental technology verification (ETV) and was developed and published by the International Organization for Standardization (ISO). The ISO ETV standard specifies that technology operating conditions shall be clearly stated and the performance parameters shall be measurable using quality-assured test procedures and analytical techniques. The objective of ETV is to provide credible, reliable, and independent verification of the performance of environmental technologies. An environmental technology is a technology that either results in an environmental added value or measures parameters that indicate an environmental impact.

**Light Liquid:** Liquid with a density no greater than 0.95 g/cm<sup>3</sup>, which is completely, or nearly insoluble and unsaponifiable.

**Modified Mass Balance Test Method:** The method to determine sediment removal rates by comparing a known influent mass of test sediment to the mass of test sediment retained by the MTD.

**Maximum Sediment Storage Depth and Volume:** The Maximum Sediment Storage Depth and volume of a MTD represents the amount of sediment that can accumulate in the MTD prior to maintenance, as

recommended by the manufacturer. This term is also referred to as the maintenance sediment storage depth and volume.

**New Jersey Department of Environmental Protection:** The New Jersey Department of Environmental Protection (NJDEP) is a government agency in the U.S. state of New Jersey that is responsible for managing the state's natural resources and addressing issues related to pollution.

**Oil-Grit Separator:** Oil and grit separators (OGS) are structures consisting of one or more chambers that remove sediment, screen debris, and separate oil from stormwater. Devices shall not have a filter that contributes to the water quality treatment process. These devices are also referred to as hydrodynamic separators.

**Particle Size Distribution:** The particle-size distribution (PSD) of a material, or particles dispersed in fluid, is a list of values that defines the relative amount, typically by mass, of particles present according to size.

**Surface Loading Rate:** Surface Loading Rate (SLR) - The SLR is a hydraulic loading factor expressed in terms of flow per surface area. This factor is also referred to as the “surface settling rate” or “surface overflow rate.” The SLR is computed as follows:

$$\text{Surface Loading Rate} = \frac{\text{Flow}(\text{L min}^{-1})}{\text{Effective Treatment Area of the Device} (\text{m}^2)}$$

Where the Effective Treatment Area is the area in the MTD where sedimentation occurs.

**Test Body:** The Test Body is an organization providing the means for test implementation, including performing and reporting on the testing of an environmental technology for the purposes of verification as specified in ISO 14034.

**Test Plan:** Prepared by the third-party testing body and submitted to the VB for review by the VE prior to the initiation of monitoring or technology performance testing. The term “Technology Specific Test Plan” (TSTP) is also used.

**Verification Body:** The Verification Body (VB) is a third-party organization that administers the testing and verification process and acts as the point of contact for all questions relating to the verification. The VB and VE must meet the conformity requirements of ISO 17020 or equivalent.

**Verification Expert:** The Verification Expert (VE) is the third-party, impartial technical reviewer sub-contracted by the ISO 14034 VB to supply assessment and validation expertise and services. The VE may not both generate the required data and then assess/validate that same data for any one performance claim, as this would present a conflict of interest with respect to that verification. The VB and VE must meet the conformity requirements of ISO 17020 or equivalent.

## 4.0 Introduction

This document specifies the technology performance Test Body procedures required for OGS MTDs seeking verification under the ISO 14034 ETV standard. OGS are structures consisting of one or more chambers that remove sediment, screen debris, and separate oil from stormwater, and that do not contain one or more filters that may restrict flow either initially or within the normal maintenance cycle. It is required that

this “*Procedure for Laboratory Testing of Oil-Grit Separators*” be followed by entities performing or overseeing the testing of an OGS MTD (hereafter referred to as MTD) in accordance with the requirements of ISO 14034 ETV. Regulatory agencies and stormwater practitioners may also see value in this document as a means of better understanding the testing and data requirements to be used as the basis for OGS review and acceptance. A separate PAS provides guidance on the use and application of verified testing data of stormwater treatment technologies for regulatory review. A glossary of terms used in this document is provided above in section 3.0.

## 4.1 Purpose and Objectives of the *Procedure*

It is intended that this standardized testing *Procedure* be used as a basis for determining the capacity of MTDs to capture and retain sediment and light liquids under the specified test conditions. Application of this *Procedure* will assist in the calibration and parameterization of MTD sizing models and calculators applied by regulators and the regulated community to select device types and sizes that are required to meet regulatory goals and other storm water management criteria.

The specific objectives of the *Procedure* are to:

- quantify the sediment removal performance, by particle size fraction, of a device under different SRLs (flow rate per unit sedimentation area);
- propose a methodology for scaling the performance results obtained from this testing *Procedure* to larger or smaller untested devices in the same device classification;
- quantify the mass, by particle size fraction, of sediment particles that may be re-suspended and washed out of a MTD at high flow rates;
- assess the quantity of light liquid that may be captured, re-entrained and washed out from a MTD at high flow rates, and
- measure head loss of the MTD at the full range of tested flow rates and maximum treatment system SLR prior to the onset of bypass

## 5.0 Performance Test Body and Verification Requirements

### 5.1 Test Body

The testing shall be conducted by an independent third-party Test Body that meets the requirements of ISO 17025, or equivalent. The Test Body shall have experience with the test and laboratory methods specified in this *Procedure* and have the infrastructure and staff expertise needed to perform the full range of testing in a manner that generates reliable and repeatable results. In addition, Test Body staff shall have a thorough understanding of the operation of MTDs, acquired by laboratory or field work hydraulics (including particle settling) and stormwater sampling, including expertise in the statistical analysis of the data being collected. The Test Body prepares the Technology Specific Test Plan and Test Report.

## 5.2 Verification Body and Expert

The Verification Body (VB) is a third-party organization that administers the verification process and acts as the point of contact for all questions relating to the verification. The VB contracts an independent, impartial verification expert (VE) that is responsible for reviewing the reporting and analysis prepared by the Technology Performance Test Body and delivering a verification report and verification statement. The VB and VE must meet the conformity requirements of ISO 17020 or equivalent.

The ISO 14034 ETV standard guides the verification process, specifying accountabilities and related quality requirements in the form of a verification plan. The publicly available verification statement for the class of technologies referred to as MTDs shall conform to the minimum content requirements listed in Appendix E.

## 6.0 Sediment Removal Performance Test

The tested MTD shall be a full scale, commercially available device with the same configuration and components as would be typical for an actual installation. Allowances may be made for the substitution of the housing, or other structural components that do not affect performance, which may be used to facilitate laboratory testing. The sediment removal test requires the MTD be set-up to simulate a realistic in-situ operating state. The test is then run on a clean system, with clean water that has a background total suspended solids concentration (SSC) below 20 mg/L. A false floor shall be installed to simulate having the sediment retention chamber filled to 50% of the manufacturer's recommended Maximum Sediment Storage Depth.

### 6.1 Test Sediment

The test sediment used for sediment removal performance testing shall be comprised of inorganic ground silica with a specific gravity of 2.65, uniformly mixed to meet the PSD shown in Table 6.1. The PSD includes a broad range of particle sizes from clay to coarse sand.

**Table 6.1:** PSD of Test Sediment

<b>Particle Size (<math>\mu\text{m}</math>)</b>	<b>Percent Less Than</b>	<b>Particle Size Fraction (<math>\mu\text{m}</math>)</b>	<b>Nominal Percent</b>
1000	100	500-1000	5
500	95	250-500	5
250	90	150-250	15
150	75	100-150	15
100	60	75-100	10
75	50	50-75	5
50	45	20-50	10
20	35	8-20	15
8	20	5-8	10
5	10	2-5	5
2	5	<2	5

The test sediment batch shall be separated into 8 individual batches for use in testing at each of the required SLR (7) and one for preloading during the sediment resuspension and scour test (see section 7 below). Samples of sediment from each individual test run batch shall be collected and analyzed for PSD in accordance with ASTM D6913-17 and ASTM D7928. The PSD of each of these samples shall be allowed to vary from the specified percent less than value in Table 1 by six percentage points, as long as the median particle size ( $d_{50}$ ) does not exceed 75  $\mu\text{m}$ . The individual test run PSD samples will be used to calculate removal efficiencies by particle size fraction, in conjunction with a single PSD sample from the retained sediment mass (see section 6.4).

## 6.2 Test Conditions

The system shall be clean with no pre-loaded sediment. A false floor shall be set to 50% of the manufacturers recommended Maximum Sediment Storage Depth to mimic a partially filled device. The set-up of the test system needs to reflect realistic operation of a gravity flow device in the storm sewer. The inlet pipe shall have a minimum slope of 1% and a diameter not exceeding 25% of the diameter or width of the unit. The outlet pipe shall have a minimum slope of 0.5%. The inlet and outlet pipes shall have the same diameter. Temperature of the water used in the test shall not exceed 25°C.

## 6.3 Test Parameters and Requirements

In order to obtain an accurate accounting of performance for sediment removal, tests shall be conducted at each of the different test SLRs specified in section 6.3.1. To achieve stabilized flows and sediment fluxes through the MTD, the tests shall be run for a minimum duration. A minimum mass of sediment shall also be injected to limit analytical errors associated with mass balance testing (see section 6.3.2 below).

### 6.3.1 Flow rates and hydraulic characteristics

The flow rates tested should be sufficient to characterize the performance curve across different SLRs. A minimum of seven steady state SLRs shall be tested: 40, 80, 200, 400, 600, 1000 and 1400 Liters per minute ( $\text{L min}^{-1}$ ) per square metre ( $\text{m}^2$ ) of Effective Treatment Area, where the Effective Treatment Area is defined as the horizontal area in the MTD over which sedimentation occurs. Testing at additional SLRs may be conducted at the manufacturer's discretion. These shall be reported in the test report and considered for inclusion in the publicly available verification statement. The flow rates associated with each SLR shall be determined based on the specified SLRs and the Effective Treatment Area of the tested MTD. It should be noted that some Canadian jurisdictions (*e.g.* Quebec) may require sediment removal performance testing at SLRs exceeding the highest SLR noted above. Therefore, the maximum SLR to be tested should be confirmed after reviewing approval criteria in the jurisdiction(s) where manufacturers are seeking approval for installation.

Flow rates from calibrated flow instruments shall be recorded at intervals no longer than 30 seconds for test run flow durations less than 2 hours, and no longer than 1 minute for longer test run flow durations. Instrument calibration reports shall be submitted with the final test report. Flow rates shall not vary from the target flow rate by more than  $\pm 10\%$  and have a Coefficient of Variation (COV) of less than 0.04.

Head loss across the MTD shall be measured on a clean unit without sediment over the full range of operational flow rates using calibrated instruments installed at appropriate locations. Tests shall be run with a false floor at 50% of the manufacturer's recommended sediment storage depth. The methodology for measuring head losses shall be determined by the independent Test Body based on the unit design and described in detail within the test report. Loss coefficients shall be reported over the full range of test flow rates and include measurements before and after correction for velocity head. The maximum treatment SLR prior to the onset of bypass shall also be measured.

### 6.3.2 Test duration

The test duration shall be the greater of 25 minutes total or the length of time required to complete 8 volume exchanges of the primary sedimentation chamber. The test shall also ensure that a minimum of 11.3 kg of sediment is fed into the MTD during the test, even if the duration and volume exchange criteria have been satisfied.

### 6.3.3 Influent sediment concentration

The test requires use of a calibrated sediment feed system that delivers a constant concentration of 200 mg/L (within  $\pm 25$  mg/L) over the duration of the test. The maximum length of pipe from the point where sediment is injected to the test unit shall not exceed 0.91 m (3 feet) upstream of the inlet. Injection of test sediment shall be initiated only after a constant flow rate has been achieved. Six calibration samples shall be collected from the injection point at evenly spaced intervals over the duration of the test to verify that the test sediment is being injected at a constant rate. Calibration samples shall be a minimum 0.1 L or the collection interval shall not exceed one minute, whichever comes first. The collection time may be extended to ensure that a minimum sample size of 20 g is collected. The samples shall be weighed to the nearest 10 milligrams and the concentration COV shall not exceed 0.10.

The average influent concentration during the test shall be determined based on the mass injected divided by the volume of water flowing through the unit during the period of sediment injection. The moisture content of the test sediment used for each flow rate test should be measured in accordance with ASTM D2216 (2019). The test sediment used in each test shall be sampled and analyzed for PSD in accordance with ASTM D6913/7928, as described in section 6.1.

#### 6.3.4 Modified mass balance

The influent sediment mass load and retained sediment mass shall be measured. The influent mass is equal to the mass of test sediment injected over the duration of the test. Sediment retained within the unit is to be collected at the end of the test for mass balance analysis. Sediment collected from the inlet pipe and sump and other significant settling areas outside of the sump (if applicable) shall be measured and reported separately. Significant settling areas are areas where 300g or more of sediment has been deposited. The water remaining in the unit after the test shall be decanted over a period not exceeding 30 hours after the end of the test. The decanted water shall be discarded. The remaining mixture of sediment and water in the MTD retention chamber shall be transferred to pre-weighed nonferrous trays for drying.

After drying and weighing following ASTM D2216 (2019), the sediment collected from each source - the inlet pipe, sump and other settling areas (if applicable) - is to be separately mixed, and a sample of the well-mixed sediment collected from each source area shall be analyzed for PSD in accordance with ASTM 6913/7928.

#### 6.3.5 Background samples

Aqueous background suspended solids samples shall be taken over the entire testing period at minimum one hour increments and a minimum of 5 samples shall be taken for test run durations less than 5 hours. These samples are to be analyzed by the SSC method ASTM D3977-97. SSCs of background samples shall be less than 20 mg/L.

### 6.4 Sediment removal calculation

The sediment removal efficiency shall be calculated and reported based on the influent mass load and retained mass load, as follows:

$$\text{Removal Efficiency (\%)} = \left( \frac{\text{Total Mass Retained}}{\text{Inlet Mass Injected}} \right) * 100$$

where the mass retained is the mass collected from the MTD after completion of the test, including any residual sediment accumulated in the inlet pipe. Removal efficiency calculations shall be provided both for the combined mass accumulated in the inlet pipe and MTD retention chamber as well as for the mass captured in the MTD retention chamber alone. The vendor may claim the higher of the two values only if the median particle size of the sediment sample collected in the inlet pipe is greater than 150 µm. Otherwise claimed removal efficiencies shall be based on the sediment mass accumulated in the MTD retention chamber alone.

Sediment removal results shall be reported as a percentage of influent mass retained, both for the total mass and by individual particle size fractions. The PSD of the samples taken from each of the influent and

retained mass, as described previously, shall be used as the basis for reporting removal efficiencies by particle size fraction. The size fractions used for reporting of removal efficiencies shall include, at a minimum, the following:

- < 8  $\mu\text{m}$
- 8  $\mu\text{m}$  - 50  $\mu\text{m}$
- 50  $\mu\text{m}$  - 100  $\mu\text{m}$
- 100  $\mu\text{m}$  - 250  $\mu\text{m}$
- > 250  $\mu\text{m}$

Laboratory results may be graphically or statistically interpolated for the purposes of reporting sediment removal results in the size fractions shown above. However, to minimize errors, interpolations of analytical laboratory data should be based on as many discrete size fractions as is practically feasible.

## 7.0 Sediment Scour and Re-suspension Test

Sediment scour and re-suspension testing is done on the same unit tested for sediment removal to determine the mass and range of particle sizes that are re-suspended and washed out during high flows. The test sediment is the same as that used in the sediment removal test, and effluent results are reported by total mass load and particle size fraction. The re-suspension test requires the MTD to be set up in an operating condition that mimics a MTD filled to half of the maximum recommended sediment storage depth. A false floor can be used, with a specified quantity of test sediment on top of the false floor. For the purposes of assessing the potential for sediment re-suspension, test results are to be interpreted in relation to the particle size fractions retained by the MTD during the sediment removal performance tests (see section 7.4 below).

### 7.1 Preloaded Test Sediment

The test sediment preloaded in the sedimentation chamber shall be the same batch prepared for the sediment scour and re-suspension test and tested for PSD, as described in section 6.1 above. Ledges or surfaces other than the main sump where more than 5% of the total sediment captured in the retention chamber was found to settle during the 40 L min<sup>-1</sup> m<sup>-2</sup> sediment removal test shall also be preloaded with sediment.

### 7.2 Test Conditions

This test is run with clean water at temperatures not exceeding 25°C. The false floor, if used, is set to a minimum of 10.2 cm below 50% of the maximum recommended sediment storage depth and covered with the required quantity of test sediment to achieve the 50% capacity level. The sediment shall be evenly distributed and leveled.

The MTD shall be filled with clear water to a normal operating depth prior to initiating flows. Background SSCs of the clear water used to fill the MTD shall be less than 20 mg/L. The test shall be initiated within 96 hours of pre-loading of the unit.

## 7.3 Test Parameters and Requirements

### 7.3.1 Flow Rates

Re-suspension and washout of sediments is determined at five SLRs that shall be increased in 5-minute intervals from 200 to 800 to 1400 to 2000 to 2600 L min<sup>-1</sup> m<sup>-2</sup>. Higher SLRs may be tested at the manufacturer's discretion. If the manufacturer wishes to test additional SLRs less than 2600 L min<sup>-1</sup> m<sup>-2</sup>, these shall be conducted as a separate test. The results of these additional tests shall be reported in the test report and considered for inclusion in the publicly available verification statement. Flows shall be measured with calibrated instruments. It should be noted that some Canadian jurisdictions (*e.g.* Quebec) may require sediment resuspension and scour testing at SLRs exceeding the highest SLR noted above. Therefore, the maximum SLR to be tested for sediment resuspension and scour should be confirmed after reviewing approval criteria in the jurisdiction(s) where manufacturers are seeking approval for installation.

### 7.3.2 Flow Durations

Flow rates shall be recorded at no longer than 30 second intervals over the duration of the test and be maintained within ±10% of the target flow rate with a COV less than 0.04. The time for flows to increase initially, and from one rate to the next, shall not exceed 1 minute. If the flow rate needs to be stopped in the middle of the testing to change flow meters, the transition period to the next flow rate should not exceed 1 minute from the end of the previous 5-minute interval. Thus, the maximum duration of the test for the 5 SLRs shall not exceed 30 minutes.

### 7.3.3 Sampling and analysis

Paired effluent samples shall be collected throughout the test each at 1 minute sampling intervals starting no longer than 1 minute from the initiation of flow and no longer than 1 minute after the start of flow increase from one target flow rate to the next (*i.e.*, sampling should start as soon as the target flow rate is achieved). The effluent SSC will be determined based on the grab sample method (see Appendix A). Alternative effluent sampling methods, or variants of the NJDEP methods, may be employed, pending approval by the ISO VE prior to testing. Only flows that have passed through the MTD treatment chamber(s) shall be sampled and samples shall be a minimum of 500 mL.

The samples are to be analyzed for SSCs using the SSC analytical method ASTM D3977-97. The PSD of the samples shall be determined in accordance with ISO 13320 (2020). Discrete samples collected for PSD analysis may be combined to form two composite samples at each SLR.

The scour test results for suspended solids and PSD shall be reported for each of the SLRs tested. In addition to effluent samples, a minimum of 5 aqueous background suspended solids samples of the influent water shall be taken over the testing period at regular increments. SSCs of background samples shall be less than 20 mg/L, and effluent sample SSCs shall be adjusted according to the measured background concentration.

## 7.4 Sediment Scour Test Analysis

In addition to correcting for background SSCs, the smallest 5% of sediment ( $d_5$ ) removed by the MTD during the  $40 \text{ L min}^{-1} \text{ m}^{-2}$  removal test may be subtracted from the effluent suspended solids results, up to a maximum  $d_5$  particle size of 15 microns. This provision helps to ensure that effluent SSCs only include sediment particle size fractions that can be realistically retained by MTDs. If applicable, the test report shall include the particle size fractions removed and scoured from the MTD, as well as the scour effluent concentrations before and after adjustment of results. An example calculation is provided in Appendix B.

## 8.0 Light Liquid Retention Simulation Test

The light liquid retention simulation test shall be conducted on the same unit tested for sediment removal to assess whether light liquids are effectively captured by the MTD after a spill and are effectively retained in the spill capture area at high flow rates. The test uses low density polyethylene (LDPE) plastic beads as a surrogate for light liquids. The test is optional depending on whether the vendor is making a claim that light liquids trapped in the MTD are effectively retained. The flow rates and duration of the test are the same as in the scour test.

### 8.1 LDPE Plastic Beads Specification

LDPE plastic beads used in the test shall have a specific gravity similar to motor oil, since oil spills are the most common type of light liquid spill. The specified test material shall be Dow Chemical Dowlex™ 2517 (s.g. = 0.917). Should the specified test material become unavailable, the alternate test material shall be Dow Chemical Dowlex™ 722 (s.g. = 0.918), or equivalent.

### 8.2 Test Conditions

This test is run with clean water on a MTD with a false floor set at 50% of the maximum recommended sediment storage depth to ensure hydrodynamics of the MTD are representative of an average condition. If additional oil capture features are added to the MTD, these same features shall also be present during the sediment removal performance test. The presence of screens must be reported in the Test Plan indicating whether the screen will restrict the release of beads, and if so, how the device should be set-up to generate unbiased and representative results of light liquid capture and retention. Water temperatures shall not exceed 25°C.

The MTD shall be preloaded with a volume of plastic beads sufficient to fill the Effective Treatment Area (sedimentation area) to a depth of 5 cm. This volume shall be referred to as the Oil Retention Volume (ORV). Since the ORV is based on horizontal treatment area and not spill capture area, MTDs with a spill capture zone area that is different than the Effective Treatment Area will preload beads to a depth that is not equal to 5 cm. For convenience it is permitted to determine the bulk density of the beads using a 1 L sample and then work with the mass equivalent of the required volume.

Pre-loading the beads shall be accomplished by filling the unit to the static water level at a constant flow rate determined by the Test Body, then adding beads while water flows through the unit. Following pre-loading of beads, flow to the MTD will be stopped for at least 5 minutes to allow the MTD to reach a dry-state

equilibrium. Any beads that do not make their way into the spill capture zone and any beads that pass into the effluent during pre-loading shall be captured and their volume measured and recorded. This volume is the uncaptured volume.

There shall be no additional flow through the unit prior to the commencement of testing, as described in section 8.3.

## 8.3 Test Parameters and Requirements

### 8.3.1 Flow Rates

The potential for oil re-entrainment and washout is determined at five SLRs that shall be increased in 5-minute intervals from 200 to 800 to 1400 to 2000 to 2600 L min<sup>-1</sup> m<sup>-2</sup>. Higher SLRs may be tested at the manufacturer's discretion. If the manufacturer wishes to test additional SLRs less than 2600 L min<sup>-1</sup> m<sup>-2</sup>, these shall be conducted as a separate test. The results of these additional tests shall be reported in the test report and considered for inclusion in the verification statement. Flows shall be measured with calibrated instruments.

### 8.3.2 Flow Durations

Flow rates shall be recorded at no longer than 30 second intervals over the duration of the test and be maintained within ±10% of the target flow rate with a COV less than 0.04. The time for flows to increase initially, and from one rate to the next, shall not exceed 1 minute. If the flow rate needs to be stopped in the middle of the testing to change flow meters, the transition time to the next flow rate should not exceed 1 minute from the end of the previous 5minute interval. Thus, the maximum duration of the test for the 5 SLRs shall not exceed 30 minutes.

### 8.3.3 Effluent Screening and Analysis

All effluent shall be screened for the entire duration of the test. Appropriate screen mesh size shall be used such that all plastic beads washed out of the MTD are retained on the screens while allowing water to pass through. Screening methodology shall provide for the collection and quantification of plastic beads washed out of the MTD during the flow interval associated with each specified SLR. The volume, mass, and percentage of plastic beads washed out of the MTD shall be determined for each SLR. Additionally, these values shall be summed to determine the cumulative volume, mass, and percentage of plastic beads washed out of the MTD for the entire test duration. The cumulative volume of beads washed out of the MTD combined with the uncaptured volume recorded in Section 8.2 are used to determine the total volume, mass and percentage of plastic beads retained by the unit. Vendors of light liquid capture MTDs wishing to claim a larger ORV may repeat the test with a larger volume of beads.

## 9.0 Scaling

The sediment removal rate at the specified SLRs determined for the tested full scale, commercially available MTD may be applied to similar MTDs of smaller or larger size by proper scaling. Scaling the performance

results of the tested MTD to other model sizes without completing additional testing is acceptable provided that:

1. The maximum treatment SLR prior to the onset of bypass for the similar MTD shall be the same or less than the tested MTD;
2. The claimed sediment removal efficiencies for the similar MTD are the same or lower than the tested MTD at identical SLRs; **and**
3. The similar MTD is scaled geometrically proportional to the tested unit in all inside dimensions of length and width and a minimum of 85% proportional in depth.

If requirements (1) and (2) are not met, then three full scale, commercially available MTDs of different sizes are required to be tested to validate the alternative scaling methodology. Testing of the similar models shall follow the same sediment removal performance testing *Procedures* described in section 6.0.

Manufacturers shall submit available or proposed model sizes and names as part of the ISO 14034 verification to confirm how performance results from the tested model can be applied to other unit sizes based on the scaling rules above.

## 10.0 Analytical Methods

All analytical laboratories performing sample analysis shall meet the requirements of ISO 17025, or equivalent. The following analytical methods shall be used in the test *Procedure*.

### 10.1 Particle Size Distribution

Test Sediment shall be analyzed in accordance with ASTM D6913-17: *Standard Test method for the Particle Size Distribution (Gradation) of Soils using Sieve Analysis* and ASTM D7928: *Standard Test method for Particle Size Distribution (Gradation) of Fine Grained Soils using the Sedimentation (Hydrometer) Analysis*.

Aqueous samples shall be analyzed for PSD using laser diffraction following ISO 13320 (2020) *Particle Size Analysis – Laser Diffraction Methods*.

### 10.2 Sediment Drying and Moisture Content

The moisture content of the sediment shall be determined in accordance with ASTM D2216 (2019), *Standard Test Methods for Laboratory Determination of Water (Moisture) Content of Soil and Rock by Mass*.

### 10.3 Suspended Solids

The SSC test method shall be used on aqueous samples: ASTM D3977-97 (2019) *Standard Test Methods for Determining Sediment Concentration in Water Samples*.

## 11.0 Reporting

The third-party technology performance Test Body responsible for testing prepares a Technology Specific Test Plan (i.e., Quality Assurance Project Plan) and Test Report. The VE shall review the Test Body

documents and prepare a verification report. Minimum content requirements for the publicly available verification statement are provided in Appendix E. A checklist of key testing and reporting parameters is provided in Appendix D.

The report prepared by the technology performance Test Body should address, at a minimum, the following topics:

1. Laboratory and staff qualifications
2. Description of the technology – function, operation and basic design hydraulic parameters (e.g. design head loss, maximum hydraulic capacity)
3. Experimental set-up – test equipment descriptions, data acquisition and management procedures and equipment calibration reports
4. Testing procedures - preparation of test sediment, sampling and analytical laboratory methods, and the quality assurance and control plan
5. Results of Sediment Removal Performance Test, reported by total mass and particle size fraction
6. Results of Sediment Re-suspension Test, reported by effluent concentration, mass load and particle size fraction
7. Results of Light Liquid Retention Simulation Test, reported by volume, mass and percentage of beads captured and retained, where applicable
8. Results of head loss testing and specification of the maximum treatment system SLR prior to bypass
9. Potential sources of error for each of the tests, and other important considerations that may affect performance, inspection, maintenance or other operational functions of the MTD in field settings
10. Signatures from performance Test Body staff verifying that the testing was carried out in accordance with the *Canadian Procedure for Laboratory Testing of Oil-Grit Separators*.

Further guidance on the required content of the Test Report is provided in Appendix C.

## APPENDIX A: Effluent Sampling Procedures

For ease of reference, the following description of effluent sampling methods has been adapted from the *New Jersey Department of Environmental Protection Laboratory Protocol to Assess Total Suspended Solids Removal by a Hydrodynamic Sedimentation Manufactured Treatment Device*-January 25, 2013. Since the 2021 version of the protocol only specifies two valid effluent sampling methods, the automatic effluent sampling method has been removed. Where relevant, units have been converted to metric.

Effluent sampling shall be performed through the use of one of the following methods; depending on flow rate: the Effluent Grab Sampling Method or Isokinetic Sampling Method. For flows less than  $14 \text{ L s}^{-1}$  the Effluent Grab Sampling Method shall be utilized. For flow greater than  $14 \text{ L s}^{-1}$  the Isokinetic Sampling Method shall be employed.

### *Effluent Grab Sampling Method*

This method allows for conducting manual sample collection procedures. The effluent sample location shall be either end of pipe or in-line, and should consider the distance from the MTD, sample container size to minimize the potential for spilling, and sediment capture method (e.g., sweeping motion).

### *Isokinetic Sampling Method*

The use of isokinetic sampling procedures may be applicable for this method depending on water depth in the effluent piping. In an isokinetic sampling procedure, the testing nozzle is set up to allow the water to enter without changing speed. This reduces the risk of concentrating larger or smaller particles.

This procedure shall include a minimum of three evenly spaced, vertically and centrally aligned sampling tubes. Flows from the tubes shall be composited. With isokinetic sampling, the tube intake flow velocity is equal to the pipe flow velocity at the sample tube location. For flows greater than  $14 \text{ L s}^{-1}$ , three intake points shall be used in the pipe. For flows less than  $14 \text{ L s}^{-1}$ , only the Effluent Grab Sampling Method is acceptable.

## APPENDIX B: Procedure for Correcting the Effluent Sediment Results from the Sediment Scour Test

First, the  $d_5$  of the PSD for the retained sediment in the  $40 \text{ L min}^{-1} \text{ m}^{-2}$  test is determined, as per Table 1. In this example, the interpolated  $d_5$  is 4.7 microns.

**Table B1:** PSD data for sediment retained in  $40 \text{ L min}^{-1} \text{ m}^{-2}$  run

Table 1. PSD of retained sediment at SLR of $40 \text{ L min}^{-1} \text{ m}^{-2}$	
Particle size of retained sediment ( $\mu\text{m}$ )	Cumulative percent less than (%)
1000	100
500	85
250	72
150	35
50	26
20	20
10	13
8	9
7	8
5	6
4	2.6
3.5	2.3
3.1	2
2.9	1.5
2.7	1.4
2.5	1.2
1.5	1
1	0

The next step is to determine from the effluent PSD results the percentage of the effluent sediment is smaller than the  $d_5$ , which is 4.7 microns in this example. Table 2 shows sample scour effluent PSD data at  $200 \text{ L min}^{-1} \text{ m}^{-2}$ , with the cumulative percent less than value highlighted for the 4.7 micron particle size.

**Table B2.** Scour test effluent sample PSD from the  $200 \text{ L min}^{-1} \text{ m}^{-2}$  run

Particle size of scoured sediment (um)	Cumulative percent less than (%)
704	100
7.778	99.99
7.133	99.8
6.541	99.87
5.998	99.52
5.5	99.48
5.044	99.3
4.625	99.2
4.241	99.1
3.889	98.9
3.566	98.7
3.27	98.6
2.99	98.5
2.75	98.4
2.522	97.449
2.312	93.885
2.121	89.716
1.945	84.865
1.783	79.288
1.635	72.897
1.499	65.648
1.375	57.761
1.261	49.434
1.156	41.228
1.06	33.693
0.972	27.093
0.892	21.692
0.818	17.336
0.75	13.882
0.688	11.11
0.63	8.822
0.578	6.919
0.53	5.302
0.486	3.938
0.446	2.805
0.409	1.87
0.375	1.122
0.344	0.572
0.315	0.198
0.289	0

The formula for the d5 correction is as follows:

$$\text{Effluent sample concentration} * ((100 - \text{D5 percentile})/100)$$

Once the d5 correction is applied, the background SSC is subtracted and the final result is the effluent concentration to be reported. Table 3 shows an example of the table that would be included in a test report and verification statement.

**Table B3:** D5 corrected and background adjusted scoured sediment concentration

Flow rate	Background sample concentration (mg/L)	Effluent sample Concentration (mg/L)	D5 correction (see equation above) (mg/L)	Adjusted concentrations after correction for D5 and background concentration (mg/L)
200	2	50	$50 * ((100 - 99.2)/100) = 0.4$	$(0.4 - 2) = -1.6 = 0$
800	etc...	etc...	etc...	etc...
1400				
2000				
2600				

## APPENDIX C: Test Report Template

**Table C1.** Required content of the Test Report

Sections/subsections	Brief Content Description	Tables and/or Figures
<b>Table of Contents and List of Figures and Tables</b>		
<b>1.0 Introduction</b>	Overview of the scope and purpose of testing	
<b>2.0 Manufactured Treatment Device Description</b>	Description of the MTD, including overview of device function, operation, design hydraulic parameters (e.g. design head loss, maximum hydraulic capacity), number of chambers, chamber dimensions, baffle configurations, inlet and outlet pipe diameters and invert elevations, function of bypass weir (if present), details of debris screens (if present), and other components.	<u>Figures:</u> Schematic showing MTD dimensions and pipe/baffle locations/sizes. <u>Photo</u> of MTD installed in the laboratory.
<b>3.0 Materials and Methods</b> 3.1 Experimental Design	Describes the test parameters and procedures and deviations from the procedure (if any). <sup>2</sup>	<u>Figure:</u> Schematics showing set-up of experimental test apparatus in plan and profile views, including location of valves, pumps, storage tanks and measurement equipment.
3.2 Description of instrumentation and measurement methods	Describes equipment used to pump water, inject sediment, measure flow and temperature, collect samples, perform mass balance testing and measure other components as needed.	<u>Photos</u> of instrumentation as needed to clarify test methodologies
3.3 Data management and acquisition	Describes methods and equipment used to record and manage data. Includes details on data measurement and recording frequencies.	
3.4 Preparation of test sediment.	Provides details on how the test sediment was prepared and analyzed,	<u>Table and Figure:</u> PSD test results verifying that the

<sup>2</sup> Known deviations from the procedure should be discussed with the VE prior to testing

	and the results relative to the test PSD.	particles were uniformly distributed based on the individual run sample testing, and that the PSD meets the required specification.
3.5 Data Analysis	Describes the equations and procedures used to analyze the data.	
3.6 Laboratory Analysis	Description of laboratory methods used to analyze aqueous samples and particulate matter (sediment and oil).	
3.7 Quality Assurance and Control	Describes methods used to ensure measurement accuracy and quantify potential errors.	
<b>4.0 Results and Discussion</b>		
4.1 Sediment Removal Performance	Presents and discusses treatment efficiency from the modified mass balance test as a function of flow rate. Sediment removal results are reported as a percentage of influent mass retained, both for the total mass and the mass of individual particle size fractions. Measurements of hydraulic capacity and hydraulic characteristics can be included as a separate subsection.	<p><u>Table(s)</u>: operational parameters and treatment results, including SLR, flow rate (target and actual) test duration, turnover rate, treated volume and influent mass, sediment concentration, captured mass, calculated effluent mass and treatment efficiency.</p> <p><u>Figures</u>: Cumulative PSD (percent finer than) of the influent and captured PSDs for all SLRs.</p> <p><u>Figures</u>: Removal efficiency as a function of SLR – both for total sediment mass and for mass by particle size class.</p>
4.2 Sediment Re-suspension and Washout	Presents and discusses effluent sediment concentrations for the re-suspension and washout test as a function of SLR. Re-suspension test results are discussed in relation to the PSD of captured material during the sediment removal test. Calculate the effluent sediment load and concentration of particles larger than	<p><u>Figure</u>: SLR vs time.</p> <p><u>Figure</u>: Effluent sediment concentration over time for each SLR.</p> <p><u>Table and Figure</u>: Average effluent concentration by SLR. Observed and adjusted based on the sediment particles</p>

	the smallest particles captured during the sediment removal test, and express as a percentage of the total effluent load and concentration at each SLR.	captured during the sediment removal test.
4.3 Light Liquid Retention Test	Describes the type and density of plastic beads used to pre-load the unit in relation to test requirements. Presents and discusses wash out of plastic beads as a function of SLR. The volume, mass and percentage of plastic beads discharged from the unit are presented and discussed in relation to each flow rate tested and cumulatively over the full test duration.	<u>Figure</u> : SLR vs time. <u>Table and Figure(s)</u> : Mass, volume and percentage of glass beads discharged by SLR, and cumulatively over the full test duration.
<b>5.0 Conclusions</b>	Summarize key results and conclusions	
Nomenclature and Abbreviations	Defines symbols and abbreviations used in the report	
References	Full citation of all documents referenced in the report	
Appendix A	Summary of laboratory and staff qualifications	
Appendix B	Instrument calibration reports	Table and Figures as needed
Appendix C	Signatures from performance Test Body staff verifying that the testing was carried out in accordance with the OGS test <i>Procedure</i> .	
Appendix D	Manufacturer Treatment Device specifications	Table from the manufacturer at the time of testing showing all unit sizes (depth and diameter/length/width), treatment flow rates, and sediment/oil capacities.

## APPENDIX D: Checklist of Testing Requirements

**Table D1.** The following checklist may be used by the third-party Test Body and ISO 14034 VE to verify that requirements have been met and identify variances from the *Procedure*. Explanations for variances or criteria should be provided in the Verification Reports.

Ref.	Criteria	Meets Criteria		
		Yes	No	NA
<b>5.0</b>	<b>Performance Test Body and Verification Requirements</b>			
<b>5.1</b>	<b>Technology Performance Test Body</b>			
5.1a	Test Body qualifies as a third-party expert and is certified to ISO 17025 or equivalent	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>5.2</b>	<b>Verification Expert</b>			
5.2a	VE meets ISO 17020 requirements	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6.0</b>	<b>Sediment Removal Performance Test</b>			
6.0a	MTD is full scale, commercially available and same as used for an actual installation.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6.1</b>	<b>Test Sediment</b>			
6.1a	Comprised of inorganic ground silica with specific gravity of 2.65.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.1b	The 7 individual test run samples and one scour test sample are analyzed for PSD in accordance with ASTM D6913/7928 and meet PSD in Table 1 of the <i>Procedure</i> (Percentages can vary by 6% as long as the median particle size does not exceed 75 µm).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6.2</b>	<b>Test Conditions</b>			
6.2a	The system is clean with no preloaded sediment, with clean water which has a background TSS concentration below 20 mg/L.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

6.2b	False floor is installed to simulate the sediment retention chamber being filled to 50% of manufacturer's recommended Maximum Sediment Storage Depth.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.2c	Manufacturer`s installation recommendations are followed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.2d	Temperature of the water used does not exceed 25°C.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.2e	The inlet pipe has a minimum slope of 1% and a diameter not exceeding 25% of the diameter or width of the unit. The outlet pipe has a slope of 0.5%. The inlet and outlet pipes have the same diameter.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6.3</b>	<b>Test Parameters and Requirements</b>			
<b>6.3.1</b>	<b>Flow Rates and Hydraulic Characteristics</b>			
6.3.1a	A minimum of 7 steady state SLRs are tested: 40, 80, 200, 400, 600, 1000, and 1400 L min <sup>-1</sup> m <sup>-2</sup> of Effective Treatment Area.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.1b	Instruments measuring flow rates are calibrated and calibration reports are submitted.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.1c	Flow rates are recorded at no longer than 30 second intervals for flow durations less than 2 hours, and no longer than 1 minute for longer flow durations	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.1d	Flow rates do not vary from target flow rate by more than +/- 10% and have a coefficient of variation (COV) of less than 0.04.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.1e	Head loss coefficients across the device are measured on a clean unit without sediment, over the full range of operational flow rates using calibrated instruments at appropriate locations.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.1f	Methodology for determining head loss is clearly described.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6.3.2</b>	<b>Test Duration</b>			
6.3.2a	The test is run for 25 minutes or for the time required for 8 complete volume exchanges in the primary sedimentation chamber (whichever is greater) to ensure stabilized flows and sediment fluxes.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.2b	A minimum of 11.3 kg of sediment is fed into the MTD to limit analytical errors associated with mass balance testing.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<b>6.3.3</b>	<b>Influent Sediment Concentration</b>			
6.3.3a	Sediment feed system is calibrated to deliver a constant concentration of 200 mg/L (+/- 25mg/L) over the duration of the test.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.3b	The maximum length of pipe from the point where sediment is injected to the test unit shall not exceed 0.91 m (3 feet) upstream of the inlet	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.3c	Sediment is injected only after a constant flow rate has been achieved.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.3d	Six calibration samples are taken from the injection point at evenly spaced intervals over the duration of the test to verify that the sediment is being injected at a constant rate.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.3e	Calibration samples are a minimum of 0.1 L or the collection interval is less than one minute, whichever comes first.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.3f	Samples are weighed to the nearest 10 milligrams and the concentration COV does not exceed 0.10.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.3g	Average influent concentration is determined using the mass injected divided by the volume of water flowing through the unit during the period of sediment injection.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.3h	The moisture content of the test sediment used for each flow rate is measured in accordance with ASTM D2216 (2019)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6.3.4</b>	<b>Modified Mass Balance</b>			
6.3.4a	The influent sediment mass load (mass of the test sediment injected over the duration of the test) is measured for each flow rate.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.4b	At the end of the test, the water is decanted over a period not exceeding 30 hours and the remaining sediment in the MTD retention chamber is dried in a nonferrous tray and weighed following ASTM D2216 (2019). A sample is analyzed for PSD in accordance with ASTM D6913/7928.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>6.3.5</b>	<b>Background Samples</b>			
6.3.5a	Aqueous background suspended solids samples are taken over the entire testing period at minimum one hour increments.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.3.5b	Samples are analyzed by the SSC method (ASTM D3977-97(2019)), and SS concentrations are less than 20 mg/L.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

<b>6.4</b>	<b>Sediment Removal Calculation</b>			
6.4a	The mass and PSD of residual sediment in the inlet pipe is measured and reported separately. Removal efficiencies are calculated both for combined inlet/sump mass and for the sump mass alone.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.4b	If appreciable quantities of sediment are found to accumulate on ledges or shelves outside of the main sump, the mass and PSD of sediment deposited in these areas shall be measured and reported separately.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.4c	Removal efficiency (%) is calculated as $\frac{\text{Total Mass Retained}}{\text{Inlet Mass Injected}} * 100$ where the mass of the retained sediment includes sediment in the chamber and residual sediment accumulated in the inlet pipe. Residual sediment accumulated in the inlet pipe is measured and reported separately.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
6.4d	Sediment removal results are reported as percentage of influent mass retained of the total mass and for each individual particle size fraction. At a minimum, size fractions include: <5um, 5um-8um, 8um-20um, 20um-50um, 50um-75um, 75um-100um, 100um - 150um, 150um-250um, 250um-500um, >500um.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7.0</b>	<b>Sediment Scour and Re-suspension Test</b>			
<b>7.1</b>	<b>Preloaded Test Sediment</b>			
7.1a	The test sediment preloaded into the chamber is from the batch prepared and tested for PSD as described in section 6.1.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.1b	Ledges or surfaces within the unit other than the main sump where greater than 5% of retained sediment was found to settle during the 40 L min <sup>-1</sup> m <sup>-2</sup> sediment removal test run were preloaded with test sediment.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7.2</b>	<b>Test Conditions</b>			
7.2a	Test is run with clean water at temperatures not exceeding 25°C.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.2b	If the false floor is used, it is set at 10.2cm below the 50% maximum sediment storage and filled to the 50% capacity with sediment; sediment is evenly distributed.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.2c	The MTD is filled with clear water (background concentration of TSS below 20mg/L) to a normal operating depth prior to initiating flows and the test is initiated within 96 hours of pre-loading.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7.3</b>	<b>Test Parameters and Requirements</b>			

<b>7.3.1</b>	<b>Flow Rates</b>			
7.3.1a	To determine the re-suspension and washout of sediments, five SLRs (200 to 800 to 1400 to 2000 to 2600 L min <sup>-1</sup> m <sup>-2</sup> ) are used in 5-minute intervals.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.3.1b	Additional flow rates (optional) lower than 2600 L min <sup>-1</sup> m <sup>-2</sup> are tested separately.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7.3.2</b>	<b>Flow Durations</b>			
7.3.2a	Flow is measured with calibrated instruments, recorded at no longer than 30 second intervals, and maintained within +/- 10% of the target flow rate with a COV less than 0.04.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.3.2b	Where the flow rate is stopped to switch from one rate to the next the transition period does not exceed 1 minute; the duration of the total test for 5 loading rates does not exceed 30 minutes.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7.3.3</b>	<b>Sampling and Analysis</b>			
7.3.3a	Paired effluent samples are collected at 1 minute sampling intervals as soon as the target flow rate is achieved (within 1 minute of initializing a flow rate).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.3.3b	Only flows that have passed through the MTD treatment chamber(s) are sampled and the effluent concentration is determined using the grab sample method (flow rates < 14 L s <sup>-1</sup> ) or isokinetic sampling method (flow rates > 14 L s <sup>-1</sup> ).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.3.3c	The effluent samples are collected in min 500 mL bottles and analyzed for TSS concentrations using the SSC analytical method (ASTM D3977-97 (2013)).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.3.3d	The PSD of the samples are determined in accordance with ISO 13320 (2020).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.3.3e	PSD, suspended sediment loads, and scour test results are reported for each of the SLRs.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
7.3.3f	In addition to effluent samples, a minimum of 5 aqueous background samples are taken of the clear water (TSS concentration less than 20 mg/L) over the testing period at regular increments; if TSS concentration exceed 20mg/L the sample concentrations are adjusted accordingly.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>7.4</b>	<b>Sediment Scour Test Analysis</b>			
7.4a	Scour effluent concentrations are adjusted such that the solid particles finer than those removed by the MTD during 40 L min <sup>-1</sup> m <sup>-2</sup> removal test are excluded from the scour results.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

7.4b	Report contains particle size fractions removed and scoured by the MTD, as well as the scour effluent concentration before and after adjustment of results.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8.0</b>	<b>Light Liquid Retention Simulation Test</b>			
8.0a	The light liquid re-entrainment simulation test is done on the same unit tested for sediment removal/scouring.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8.1</b>	<b>LDPE Plastic Beads Specification</b>			
8.1a	The test material used is the Dow Chemical Dowlex™ 2517 (specific gravity = 0.917), or if unavailable the Dow Chemical Dowlex™ 722 (specific gravity = 0.918); the density of the material is independently measured and reported by the technology performance Test Body.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8.2</b>	<b>Test Conditions</b>			
8.2a	The test is run with clean water (temperature does not exceed 25°C) with a false floor set at 50% of the maximum recommended sediment storage depth.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2b	If additional oil capture features are added to the device, they are also made present during sediment removal performance tests.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2c	The MTD is preloaded with a volume of plastic beads sufficient to fill the Effective Treatment Area to a depth of 5 cm or equivalent for devices in which the spill capture zone area is different than the Effective Treatment Area	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.2d	Beads not captured during the preloading process are measured and recorded.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8.3</b>	<b>Test Parameters and Requirements</b>			
<b>8.3.1</b>	<b>Flow Rates</b>			
8.3.1a	To determine the potential for oil re-entrainment and washout, five SLRs (200 to 800 to 1400 to 2000 to 2600 L min <sup>-1</sup> m <sup>-2</sup> ) are used in 5 minute intervals,	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.1b	Additional flow rates (optional) lower than 2600 L min <sup>-1</sup> m <sup>-2</sup> are tested separately.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8.3.2</b>	<b>Flow Durations</b>			

8.3.2a	Flow is measured with calibrated instruments, recorded at no longer 30 second intervals, and maintained within +/- 10% of the target flow rate with a COV less than 0.04.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.2b	Where the flow rate is stopped to switch from one rate to the next the transition period does not exceed 1 minute; the duration of the total test for 5 loading rates does not exceed 30 minutes.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>8.3.3</b>	<b>Effluent Screening and Analysis</b>			
8.3.3a	Appropriate screen mesh size is used such that all washed out plastic beads are retained on the screen.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.3b	Screening methodology provides the means for quantifying the volume, mass, and percentage of plastic beads washed out of the MTD for each SLR.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.3c	Values are summed for the entire test duration along with the uncaptured volume to determine cumulative volume, mass, and percentage of plastic beads retained.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
8.3.3d	The cumulative volume washed out of the unit for the entire test plus the uncaptured volume is not greater than 15% of the oil retention volume. If this is not true, the MTD can not claim to effectively capture and retain light liquids.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>9.0</b>	<b>Scaling</b>			
9.0a	The scaling rule is included in the publicly available verification report and available model sizes are provided by the vendor to confirm applicability of test results to other model sizes	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>10.0</b>	<b>Analytical Methods</b>			
10.0a	Analytical laboratories performing sample analysis is accredited to ISO 17025 or equivalent.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>10.1</b>	<b>Particle Size Distribution</b>			
10.1a	Test sediment is analyzed in accordance with the ASTM D6913/7928.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
10.1b	Aqueous samples are analyzed for PSD in accordance with ISO 13320 (2020).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>10.2</b>	<b>Sediment Drying and Moisture Content</b>			

10.2a	The moisture content of the sediment is analyzed in accordance with ASTM D2216 (2019).	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<b>10.3</b>	<b>Suspended Solids</b>			
10.3a	The SSC test method <i>ASTM D3977-97 (2019)</i> is used on aqueous samples.	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

## APPENDIX E: Minimum Content Requirements for ISO 14034 Verification Statement

**Table E1.** The following content shall be provided in the publicly available Verification Statement to ensure that the document provides a sufficient basis for decision making and is consistent for all ISO 14034 verified Oil and Grit Separators. Additional descriptive notes, photos, figures and tables may be provided as required.

Sections/subsections	Brief Content Description	Tables and/or Figures
<b>General Information</b>	Names of vendor, verified MTD model, VE and VB. Organization addresses. Brief information on the ISO ETV 14034 standard. Contact information for the Vendor and Verification Body.	none
<b>Manufactured Treatment Device Description and Application</b>	Description of the MTD, including overview of device function, operation, design hydraulic parameters (e.g. design head loss, maximum hydraulic capacity), number of chambers, chamber dimensions, baffle configurations, inlet and outlet pipe diameters and invert elevations, bypass weir (if applicable), and other components.	Schematic showing MTD dimensions and pipe/baffle locations/sizes, etc.
<b>Performance Conditions</b>	References the OGS laboratory testing <i>Procedure</i> as the basis for testing protocols along with other relevant conditions that may apply.	none
<b>Performance Claim</b>	Performance claims for the sediment removal, scour and light liquid retention tests. Standard wording for all OGS is used for consistency. A footnote is provided to confirm whether the claims can be applied to units larger or smaller than the tested unit based on the model sizes submitted during verification, with a link to the section that provides the	none

	models to which the claims can apply based on submitted data.	
<b>Performance Results</b>	Brief description of the method used to arrive at results along with actual results and interpretation as required. Subsections for each of up to three tests. The mass of sediment in the inlet pipe and sump shall be reported separately	PSD data shall be included in graphs; Tables show performance results for all tests
<b>Operational Parameters</b>	In addition to test data relevant to the performance claim, the following operational data shall also be provided: measured energy losses (head loss), measured bypass flow rate, percent of sediment injected collected from the inlet pipe during the sediment removal test runs, PSD of sediment collected in the inlet pipe.	Optional table
<b>Scaling</b>	A list of models other than the tested model that the performance claims can be applied to based on manufacturer submissions showing conformity of model sizes to the scaling rule.	
<b>Variances from the Procedure</b>	Describes any variations from the <i>Procedure</i> with comments on significance of the variances in relation to the Performance Claims.	none